

Alpine - Subalpine Herbaceous & Dwarf-Shrub Riparian & Wetland (G520) Conservation Status Rank Summary

March 14, 2025

For details on assessment and ranking methodology, see: [Conservation Status Assessment Definitions, Process, Rank Factors, and Calculation of State Ranks for Montana Species](#)

Rarity and Trends

Rank Factor	Date Assessed	Value	Score	Data Source	Comments
Rarity					
Range Extent	2024-06-30	Y: 130000.0 km ²	3.930	GIS Analysis	Approximate range extent of alpine areas in MT.
Area of Occupancy	2024-11-11	11.0 km ² (small patch)	3.440	2024 Landcover Layer	11 sq km mapped in landcover layer as of 11/2024
Number of Occurrences			-		Factor not used in ranking.
Population Size			-		Factor not used in ranking.
# of Occurrences in Good Condition			-		Factor not used in ranking.
% of Area Occupied in Good Condition	2024-06-30		5.500	Expert Opinion	Majority of the habitat is in good condition and ecological function.
Environmental Specificity	2024-06-30	Narrow	-	Expert Opinion	Factor not used in ranking.
Rarity is calculated by averaging weighted factor scores: $((3.93 \times 1) + (3.44 \times 2) + (5.50 \times 2)) / 5 = 4.36$					
Trends					
Short-term Trend	2024-06-30		[-0.070, 0.000]	Expert Opinion	Reflects potential decreases in condition and extent due to increased temperatures, drought and decreases in winter snowpack.
Long-term Trend	2024-06-30		-0.070	Expert Opinion	Reflects potential decreases in condition and extent due to increased temperatures, drought and decreases in winter snowpack.
Trends score is calculated by summing weighted short and long-term trend scores: $([-0.07, 0.00] \times 2) + (-0.07 \times 1) = [-0.21, -0.07]$					

Threats

Rank Factor	Date Assessed	Value	Score	Data Source	Comments
Threats					
Overall Threat Impact		High - medium	[1.830, 3.670]		None
Intrinsic Vulnerability	2024-06-30	Moderately vulnerable	-	Expert Opinion	Factor not used in ranking.
Threat score is calculated from Overall Threat Impact when available or Intrinsic Vulnerability if not: ([1.83, 3.67]) = [1.83, 3.67]					

Individual Threats Data

Threat Category	Date Assessed	Impact Score	Scope	Severity	Immediacy	Comments
Climate Change & Severe Weather	None	High - Medium	Pervasive	Serious-Moderate	High-Moderate	Multiple Level 2 threats - see Additional Threat Details below.
Threat Tally: 0 - Very High, [0,1] - High, [0,1] - Medium, 0 - Low Overall Threat Impact* = High - medium						

*See [Conservation Status Assessment Definitions, Process, Rank Factors, and Calculation of State Ranks for Montana Species](#) for calculation of Overall Threat Impact based on the number and impact of individual threats.

Conservation Status Rank Calculation

Raw score

Rarity: $(4.36 \times 70\%)$ + Threats: $([1.83, 3.67] \times 30\%)$ + Trends: $([-0.21, -0.07])$ = $[3.39, 4.08]$

Calculated Rank: S4?

Accepted Rank	S3S4
Date Approved	2025-03-14
Approval Authority	Scott Mincemoyer
Rank Justification	These high elevation, riparian sites occur across the higher mountain ranges of the state but occupy relatively limited areas and are vulnerable to decreases in winter snowpack, drought and changes in precipitation patterns, and increased temperatures.

Supplementary Information

Montana Natural Heritage Program. 2021. Conservation Status Assessment Definitions, Process, Rank Factors, and Calculation of State Ranks for Montana Species. 18 p.

https://mtnhp.mt.gov/docs/Montana_State_Rank_Criteria_20211201.pdf

Montana Field Guide Species Account:

https://fieldguide.mt.gov/displayEG_Detail.aspx?eg=EVAV0G520

Additional Threat Details

The table below contains the complete threats assessment for this species. While the Conservation Status Rank Calculation is based on cumulative, broadly categorized (Level 1) threats data, threats are assessed and tracked for more specifically categorized (Level 2) threats when available.

Threat Category	Date Assessed	Assessed By	Data Source	Scope	Severity	Immediacy	Comments
Climate Change & Severe Weather - 11.1 - Habitat Shifting & Alteration	2025-03-14	sm	Expert Opinion	Restricted	Moderate-Slight	High-Moderate	Conifer encroachment into these habitats near upper treeline.
Climate Change & Severe Weather - 11.2 - Droughts	2025-03-14	sm	Expert Opinion	Pervasive	Serious-Moderate	High-Moderate	Decreased winter snowpack and changes in precipitation patterns.