# Veery (*Catharus fuscescens*) Conservation Status Rank Summary

January 23, 2025

For details on assessment and ranking methodology, see: <u>Conservation Status Assessment Definitions, Process,</u> <u>Rank Factors, and Calculation of State Ranks for Montana Species</u>

Rank Factor	Date Assessed	Value	Score	Data Source	Comments
Rarity					
Range Extent	2024-12-03	S: 380530.8 km²	4.710	MTNHP Range Maps	None
Area of Occupancy	2024-12-03	4946   4km <sup>2</sup> cells	4.810	MTNHP Modeling	None
Number of Occurrences	2025-01-23	[10, 20]	1.380	MTNHP Data	Approximately 10 descreet areas of breeding in the state
<b>Population Size</b>			-		Factor not used in ranking.
# of Occurrences in Good Condition			-		Factor not used in ranking.
% of Area Occupied in Good Condition			-		Factor not used in ranking.
Environmental Specificity	2009-01-15	Narrow	-	MTNHP Species Rank Data Table	Factor not used in ranking. Riparian deciduous forest specialist   Methodology: NS (2003)   Original Score: B
	Rarity	v is calculated by a ( (4.71 × 1) + (4.8			
Trends					
Short-term Trend	2023-12-20	[-34.8, -17.7%]	[-0.140, -0.070]	BBS	High credibility BBS scores with mean expanded to 10yr interval"- 95% CI"
Long-term Trend	Long-term Trend 2009-01-15 0.000 Si Rai		MTNHP Species Rank Data Table	Riparian deciduous and mixed deciduous forests relatively stable since European arrival.   Methodology: NS (2003)   Original Score: E	
Tren	ds score is calo	culated by summi ( ([-0.14, -0.07] × 2			long-term trend scores: 4]

# **Rarity and Trends**

## Threats

Rank Factor Date Assessed		Value	Score Data Source		Comments	
Threats						
Overall Threat Impact		Medium - low	[3.670 <i>,</i> 5.500]		Loss of regeneration of cottonwood forests due to altered hydrology and grazing. Cowbirds.	
Intrinsic Vulnerability	2009-01-15	Not intrinsically vulnerable	-	MTNHP Species Rank Data Table	Factor not used in ranking. Methodology: NS (2003)   Original Score: C	
Threat score is calculated from Overall Threat Impact when available or Intrinsic Vulnerability if not: ( [3.67, 5.50] ) = [3.67, 5.50]						

#### **Individual Threats Data**

Threat Category	Date Assessed	Impact Score	Scope	Severity	Immediacy	Comments	
Invasive & Other Problematic Species, Genes & Diseases	2024-12-03	Medium - Low	Pervasive	Moderate- Slight	High	Parisitism of nests by brown-headed cow birds. This threat is noted in publications but no estimates of impact were found.	
Threat Tally: 0 - Very High, 0 - High, [0,1] - Medium, [0,1] - Low Overall Threat Impact* = Medium - Iow							

\*See <u>Conservation Status Assessment Definitions</u>, <u>Process</u>, <u>Rank Factors</u>, <u>and Calculation of State Ranks for Montana Species</u> for calculation of Overall Threat Impact based on the number and impact of individual threats.</u>

#### **Conservation Status Rank Calculation**

#### Raw score

Rarity: (3.93 × 70%) + Threats: ([3.67, 5.50] × 30%) + Trends: ([-0.28, -0.14]) = [3.57, 4.26]

Calculated Rank: S4

Accepted Rank	S3B					
Date Approved	2009-05-01					
Approval Authority	Montana Species of Concern Committee					
Rank JustificationSpecies is found state-wide in suitable habitat. It appears to be declining. Threat poorly understood but include nest parasitism by Brown-headed Cow Birds.						

### **Supplementary Information**

Montana Natural Heritage Program. 2021. Conservation Status Assessment Definitions, Process, Rank Factors, and Calculation of State Ranks for Montana Species. 18 p. <u>https://mtnhp.mt.gov/docs/Montana\_State\_Rank\_Criteria\_20211201.pdf</u>

Montana Field Guide Species Account: https://fieldguide.mt.gov/speciesDetail.aspx?elcode=ABPBJ18080

Predicted Suitable Habitat Model:

https://mtnhp.mt.gov/resources/models/?elcode=ABPBJ18080

### **Information Needs**

Information needs are assessed by considering the availability of factors used to assess species status as well as the quality of these assessments. Current information availability and quality to inform Conservation Status Rank for this species are highlighted.

Rank Factor	Assessment Category	Value	Criteria
General		Adequate	Calculated rank has low uncertainty and is represented by a single rank (e.g. S3); accepted rank may be adjusted to a range rank (e.g. S2S3)
Status	Status Quality	Poor	Rank assessed as SU or calculated rank has notable uncertainty and corresponds to a range rank with 2 or more values (e.g. S2?, S1S3, or S4S5)
		Adequate	Range polygon adequately represents area of probable occupancy and does not include substantial unoccupied areas; range may be adequately defined and still include areas of unsuitable habitat (e.g. mountain ranges for plains species)
	Range Quality	Marginal	Range polygon defined, but may include or exclude notable areas where the species may or may not occur on the landscape
Rarity		Poor	Range polygon not defined
-		Adequate	Species-habitat relationship is well-defined (e.g. relevant literature or robust habitat model available)
	Habitat Quality	Marginal	Understanding of species-habitat relationship is adequate among some but not all habitats (e.g. literature covers similar habitats outside of Montana or habitat model performance is only somewhat adequate)
		Poor	Species-habitat relationship is not well understood
		Adequate	Threat Impact is a single value (including "Unthreatened")
Threats	Threat Origility	Marginal	Threat Impact assessed at more than one value (e.g. "High - Medium")
Inreats	Threat Quality	Poor	Threat Impact is Unknown but Intrinsic Vulnerability is assessed
		Unknown	Threat Impact is Unknown and Intrinsic Vulnerability is not assessed
		Current	Short-term Trend assessment date less than 10 years old
	Recency	Out of Date but Adequate	Short-term Trend assessment date is more than 10 years old or Unknown, but species is Unthreatened
Trends		Out of Date	Short-term Trend assessment date more than 10 years old
		Not Available	Short-term Trend data are not available
	Trend Quality	Sufficient	Short-term Trend assessed at a single value or multiple values with a minimum trend greater than -10% (stable or increasing)
		Unknown but Sufficient	Short-term Trend is Unknown, but species is Unthreatened
		Poor	Short-term Trend is less than -10% (in decline) with two or more values selected
		Unknown	Short-term Trend is Unknown

#### Summary of Information Availability

Data are generally available, but threats are poorly described.

#### Summary of Information Needs

Threats and causes of decline should be explored in greater detail. Given the ongoing declines, monitoring should continue.

# **Additional Threat Details**

The table below contains the complete threats assessment for this species. While the Conservation Status Rank Calculation is based on cumulative, broadly categorized (Level 1) threats data, threats are assessed and tracked for more specifically categorized (Level 2) threats when available.

Threat Category	Date Assessed	Assessed By	Data Source	Scope	Severity	Imme- diacy	Comments
Invasive & Other Problematic Species, Genes & Diseases - 8.2 - Problematic Native Species/Diseases	2024-12-03	Dan Bachen	Expert Opinion	Pervasiv e	Moderate- Slight	High	Parisitism of nests by brown-headed cow birds. This threat is noted in publications but no estimates of impact were found.